





# The Philani Mentor Mothers Intervention Model: Comprehensive Home- Based Care in South African Townships

The Philani Maternal, Child Health and Nutrition Project has been addressing child health and nutrition problems in townships surrounding Cape Town since 1979. In 2002, Mentor Mothers began to deliver comprehensive, home-based interventions to support and guide mothers through pregnancy, childbirth, and postpartum care. The aim of this program is to improve maternal and child outcomes: decrease the number of children born with low birth weight, increase maternal caretaking, prevent malnutrition, help prevent mother-to-child HIV transmission, and reduce alcohol use and maternal depression.

In 2008, Philani collaborated with UCLA and Stellenbosch University to evaluate the effectiveness of the Mentor Mother Program using a cluster-randomized control trial study in 24 matched neighborhoods in Cape Town townships.





## **Working with Peri-Urban Communities**

South Africa has one of the highest rates of inequality in the world, as seen in the townships outside of Cape Town. Mothers are also challenged to address the highest rates of HIV and Fetal Alcohol Spectrum Disorders globally.

In the townships surrounding Cape Town, South Africa, 30% of mothers are living with HIV, 25% drink alcohol prior to recognizing that they are pregnant, about 34% are depressed, and 17% have a low birth weight child. Even when mothers are able to visit the clinic, issues such as alcohol abuse and depression are sometimes not addressed.

Mentor Mothers reduce barriers to accessing and utilizing clinical services. Their home visits are embraced by the community and are recognized as a comprehensive health program, without negative stigma of HIV and alcohol abuse.

### The PHILANI Mentor Mother Intervention Model

#### 1. Recruitment of Positive Peer Deviants

Women within the community who have displayed positive coping skills are chosen to be Mentor Mothers. Their shared experiences facilitate their acceptance within the community.

# 2. Comprehensive Training

A six-week intensive course trains Mentor Mothers on maternal and child health, nutrition, HIV and TB, mental health, self-care, home-based care, and early childhood development.

#### 3. Home-based Intervention

Home-based health visits reach families that struggle to access the health-care system. Mentor Mother home visits offer pregnant women and mothers with children under 6 years of age support and assistance in problem solving solutions to challenges of daily living without stigma.

### 4. In-the-field Supervision

A skilled management team supports the Mentor Mothers in the field at least twice a month, as well as proving in-service training. This encourages continued growth and improvement as a Mentor Mother works and provides back-up for difficult and unexpected challenges.

#### 5. Monitoring and performance feedback

Mobile technologies are used to collect data in real time. This allows for accurate tracking of home visits to ensure that all pregnant women, new mothers, and malnourished children in the area are visited regularly.

# **Randomized Controlled Trial with Eight Years** Follow-Up N= 24 matched neighborhood N= 1238 pregnant women \* Home Visiting Standard Care n=12 neighborhoods n= 12 neighborhoods n=594 pregnant women n= 644 pregnant women Home Visits Post Birth (93%) **Home Visits** 6 Months (87.4%) 18 Months (91.2%) 36 Months (84.9%) 60 Months (82.6%) 96 Months (Pending) \* At total of 23 mothers and 105 children have died

# **Impact of Mentor Mothers**

In 2014, 100 Mentor Mothers, on average conducted 7,547 client visits and 4,087 door-to-door visits each month (total 11,634). The endless work and effort of these Mentor Mothers has played a vital role in improving health outcomes among mothers and children at each stage of development.





# **Selected Outcomes**

# At 6 months, Mentor Mothers helped new mothers living with HIV to:

- 50% improvement in the tasks to prevent vertical HIV transmission
- Use condoms more often
- Use one feeding method and breastfeed longer
- Avoid birth related medical complications
- Have infants with healthy height-for-age measurements

# With 18 months of intervention, depressed mothers:

- Breastfeed longer
- Have fewer malnourished children
- Have fewer children with low cognitive scores


## At 36 months, the Mentor Mother intervention had:

- Mothers with lower depression
- Fewer stunted children
- Fewer hospitalized children
- Children with better vocabularies

### At 60 months, the Mentor Mothers helped mothers:


- Use less alcohol
- Have less problematic drinking

# Prevention of Vertical Transmission in Mothers Living with HIV




Cumulative adherence of tasks to prevent vertical transmission of HIV. Behaviors listed includes itself and all previous tasks. A) Maternal AZT prior to labor, or full ART; B) Maternal AZT during labor, or full ART; C) Maternal NVP at onset of labor, or full ART; D) Infant NVP within 24 hours of birth; E) Infant AZT dispensed and medicating as prescribed; F) Infant HIV PCR test and results; and G) One feeding method for 6 months.


# Children of Depressed Mothers (18 month follow up)



## Frequency of Each Pattern of Depression




# Decline in Children's IQ Scores over time in Cape Town Townships



\*Bayley Scale Score at 18 months, Kaufman MPI Scores at 60 months

### Mentor Mothers' Effect on Problematic Drinking Over Time





# **Publications**

- Rotheram-Borus, M.J., Christodolophou, J., Hayati Rezvan, P., Comulada, S., Amila, E., Tomlinson, M. (invited). Maternal HIV does not affect children's resiliency from birth to 5 years; moving to a rural setting is protective. AIDS.
- Rotheram-Borus, M.J., Weichle, T.W., Wynn, A., Tomlinson, M. (In submission). Maternal Co- Morbidities Affecting Health Care of HIV-affected Mothers and Children in South Africa over Five Years.
- Rotheram-Borus, M.J., Weichle, T.W., Wynn, A., Tomlinson, M. (In submission) HIV-affected Mothers and Children in South Africa over 5 Years: Comparison to Unaffected Peers.
- Tomlinson, M., Le Roux, I., Rotheram-Borus, M.J. (Invited) Reductions in Alcohol Use/Abuse: Five Years Post-birth among South African Mothers Associated with Paraprofessional Home Visiting.
- Rotheram-Borus, M.J., Wynn,A., O'Connor, M., Davis, E., Tomlinson, M. (In submission). Fetal Alcohol Spectrum Disorder Among Children in South Africa over the First Five Years of Life.
- Tomlinson, M., Hunt, X., Rotheram-Borus, M.J. (In revision). Diffusing and scaling Evidence-based Interventions: Eight lessons for implementation of perinatal home visiting. <u>Annals of the New York Academy of Medicine.</u>
- Rotheram-Fuller, E., Tomlinson, M., Scheffler, A., Rotheram-Borus, M.J. (in press). Impact of Patterns of Antenatal and Postnatal Depressed Mood on Child Health at Three Years Postpartum. Journal of Consulting and Clinical Psychology.
- Tomlinson, M., Rotheram-Borus, M.J., Scheffler, A., Harwood, J., Le Roux, I.M. (2017). Antenatal depressed mood and child cognitive and physical growth at 18-months in South Africa: A cluster randomized controlled trial of home visiting by community health workers <a href="Epidemiology and Psychiatric Sciences">Epidemiology and Psychiatric Sciences</a>.
- Wynn, A., Rotheram-Borus, M.J., Leibowitz, A.A., Weichle, T.W., LeRoux, I., Tomlinson, M. (2017). "Mentor Mothers Program Improved Child Health Outcomes At A Relatively Low Cost In South Africa." Health Affairs (Millwood) 36(11): 1947-1955.
- Davis, E. C., Rotheram-Borus, M.J., Weichle, T. W., Rezai, R., & Tomlinson, M. (2017). Patterns of alcohol abuse, depression, and intimate partner violence among township mothers in South Africa over 5 years. AIDS and Behavior, 21(2), 174-182.
- Coetzee, B., Kohrman, H., Tomlinson, M., Mbewu, N., Le Roux, I., & Adam, M. (2017). Community health workers' experiences of using video teaching tools during home visits—A pilot study. Health & Social Care in the Community.
- Rotheram-Borus, M. J., Tomlinson, M., Scheffler, A., Harris, D. M., & Nelson, S. (2017). Adjustment of a Population of South African Children of Mothers Living With/and Without HIV Through Three Years Post-Birth. AIDS and Behavior, 21(6), 1601-1610.
- Cooper, S., Honikman, S., Meintjes, I., & Tomlinson, M. (2017). Synthesising Global and Local Knowledge for the Development of Maternal Mental Health Care: Two Cases from South Africa. In <u>The Palgrave Handbook of Sociocultural Perspectives on Global Mental Health</u> (pp. 487-507). Palgrave Macmillan UK.
- Harwood, J. M., Weiss, R. E., & Comulada, W. S. (2017). Beyond the Primary Endpoint Paradigm: A Test of Intervention Effect in HIV Behavioral Intervention Trials with Numerous Correlated Outcomes. Prevention Science, 1-8.
- Van Heerden, A., Worthman, C., Tomlinson, M., Rotheram-Borus, M.J. (2017). The opportunities of emerging technologies to advance research in maternal and child health. AIDS and Behavior.
- Worthman, C., Tomlinson, M, & Rotheram-Borus, M.J. (2016). When can parents most influence their child's development? Expert knowledge and perceived local realities. <u>Social Science & Medicine</u>, 15462-69, doi: 10.1016/j.socscimed.2016.02.040; PMID: 26945544 PMCID: PMC4826572.
- Tomlinson, M., Hartley, M., le Roux, I, Rotheram-Borus, M.J. (2016). The Philani Mentor Mothers Intervention: Neighborhood wide impact on child growth in Cape Town's peri-urban settlements. <u>Vulnerable Children & Youth Studies</u>, 11 (3) 211-220. doi: 10.1080/17450128.2016.1214770. 11 (3) 221-222.
- Tomlinson, M., Rotheram-Borus, M.J., Le Roux, I, Youssef, M., Nelson, S.H., Scheffler, A., Weiss, R.E., O'Connor, M., Worthman, C.M. (2016). Thirty-Six- Month Outcomes of a Generalist Paraprofessional Perinatal Home Visiting Intervention in South Africa. <u>Prevention Science</u>. Epub ahead of print. doi: 10.1007/s11121-016-0676-x. PMID: 27438294.
- Tsai, A.C., Tomlinson, M., Comulada, W.S., & Rotheram-Borus, M.J. (2016). Intimate partner violence and depression symptom severity among South Africa women during pregnancy and postpartum: Population-based prospective cohort study. PLOS Medicine 13 (1). doi: 10.1371/journal.pmed.1001943. PMID: 26784110 PMCID: PMC4718639.
- Tsai, A.C., Tomlinson M., Comulada, W.S. & Rotheram-Borus, M.J. (2016). Food insufficiency, depression, and the modifying role of social support: evidence from a population- based, prospective cohort of pregnant women in South Africa. Social Science & Medicine, (151) 69-77. doi:10.106. PMID: 26773296. PMCID: PMC4766046..
- Tomlinson, M, Rotheram-Borus, M.J., Harwood, J., le Roux, I., O'Connor, M & Worthman, C. (2015). Community health workers can improve child growth of antenatally-depressed, South African mothers: A cluster randomized controlled. <u>BMC Psychiatry</u>, 15 (1): 225. doi:10.1186/s12888-015-0606-7; PMID: 26400691; PMCID: PMC4581418.
- Rotheram-Borus, M.J., Tomlinson, M., le Roux, I., & Stein, J. (2015). Alcohol use, partner violence, and depression: A cluster randomized controlled trial among urban South African mothers over 3 years American Journal of Preventive Medicine, 49 (5): 715-725. doi: 10.1016/j.amepre.2015.05.004; PMID: 26231855; PMC4615286.
- Rotheram-Borus, M.J., Scheffler, A., & Tomlinson, M., & le Roux, I. (2015). Re-engagement in HIV care among mothers living with HIV in South Africa over 36 months post-birth. AIDS. PMID: 26258526. PMCID: PMC4641027.

# **Publications**

- Tsai, A.C., Tomlinson, M., Dewing, S., Le Roux, I., Harwood, J.M., Chopra, M., & Rotheram-Borus, M.J. (2014). Antenatal depression case finding by community health workers in South Africa: feasibility of a mobile phone application. Archives of Women's Mental Health, 17(5), 423-431. doi: 10.1007/s00737-014-0426-7; PMID: 24682529; PMCID: PMC4167933.
- Rotheram-Borus, M.J., Le Roux, I., Harwood, J., O'Connor, M., Worthman, C., & Tomlinson, M. (2014). A cluster randomised controlled effectiveness trial evaluating perinatal home visiting among South African mothers/infants. PloS One, 9(10): e105934. doi:10.1371/journal.pone.0105934.PMID: 25340337; PMCID: PMC4207699.
- Le Roux, I., Rotheram-Borus, M. J., Stein, J., & Tomlinson, M. (2014). The impact of paraprofessional home visitors on infants' growth and health at 18 months. Vulnerable Children and Youth Studies, 9(4), 291-304. doi:10.1080/17450128.2014.940413; PMID: 25342956; PMCID: PMC4203669.
- Tomlinson, M., O'Connor, M.J., Le Roux, I. M., Stewart, J., Mbewu, N., Harwood, J., & Rotheram-Borus, M. J. (2014). Multiple risk factors during pregnancy in South Africa: the need for a horizontal approach to perinatal care. <u>Prevention Science</u>, 15(3), 277-282.
- O'Connor, M.J., Rotheram-Borus, M.J., Tomlinson, M., Bill, C., le Roux, I.M., & Stewart, J. (2014). Screening for fetal alcohol spectrum disorders by nonmedical community workers. <u>Journal of Population Therapeutics and Clinical Pharmacology</u>, 21(3), e442-e452. PMID: 25658901; PMCID: PMC4526235.
- Hung, K. J., Tomlinson, M., Le Roux, I. M., Dewing, S., Chopra, M., & Tsai, A. C. (2014). Community-based prenatal screening for postpartum depression in a South African township. International Journal of Gynecology & Obstetrics, 126(1), 74-77.
- LeRoux, I.M., Tomlinson, M., Harwood, J.M., O'Connor, M.J., Worthman, C.M., Mbewu, N., Stewart, J., Hartley, M., Swendeman, D., Comulada, W.S., Weiss, R.E., & Rotheram-Borus, M.J. (2013). Outcomes of home visits for pregnant mothers and their infants: a cluster randomised controlled trial. <u>AIDS</u>, June 1; 27(9): 1461-1471. doi: 10.1097/QAD.0b013e3283601b53; PMID: 23435303; PMCID: 3904359.
- Tomlinson, M., Rotheram-Borus, M.J., Doherty, T., Swendeman, D., Tsai, A.C., Ijumba, P., Le Roux, I., Jackson, D., Stewart, J., Friedman, A., Colvin, M., & Chopra, M. (2013). Value of a mobile information system to improve quality of care by community health workers. <u>South African Journal of Information Management</u>, 15(1), Art. #528, 9 pages. doi: 10.4102/sajim.v15i1.528; PMID: 25147730; PMCID: PMC4137890.
- Davies, H.R., Visser, J., Tomlinson, M., Rotheram-Borus, M.J., Gissane, C., Harwood, J., & Le Roux, I. (2013). An investigation into utilising gestational body mass index as a screening tool for adverse birth outcomes and maternal morbidities in a group of pregnant women in Khayelitsha. South African Journal of Clinical Nutrition, 26(3):116-122. PMID: 25324710; PMCID: PMC4196873.
- Tomlinson, M., Rotheram-Borus, M.J., Swartz, L., & Tsai, A.C. (2013). Scaling up mHealth: where is the evidence? <u>PLoS Medicine</u>, 10(2): e1001382. doi:10.1371/journal.pmed.1001382; PMID: 23424286. PMCID: PMC3570540.
- Dewing, S., Tomlinson, M., Le Roux, I. M., Chopra, M., & Tsai, A. C. (2013). Food insecurity and its association with co-occurring postnatal depression, hazardous drinking, and suicidality among women in peri-urban South Africa. <u>Journal of Affective Disorders</u>, 150(2), 460-465.
- Van Heerden, A., Norris, S., Tollman, S., Richter, L., & Rotheram-Borus, M.J. (2013). Collecting maternal health information from HIV-positive pregnant women using mobile phone-assisted face- to-face interviews in Southern Africa. <u>Journal of Medical Internet Research</u>, 15(6):e116. doi: 10.2196/jmir.2207; PMID 23748182: PMCID: 3713928.
- Davies, H. R., Visser, J., Tomlinson, M., Rotherham-Borus, M. J., Le Roux, I., & Gissane, C. (2012). An investigation into the influence of socioeconomic variables on gestational body mass index in pregnant women living in a peri-urban settlement, South Africa. <u>Maternal</u> and Child Health Journal, 16(8), 1732-1741.
- Rotheram-Borus, M.J., Le Roux, I.M., Tomlinson, M., Mbewu, N., Comulada, W.S., Le Roux, K., Stewart, J., O'Connor, M.J., Hartley, M., Desmond, K., Greco, E., Worthman, C.M., Idemundia, F., & Swendeman, D. (2011). Philani Plus (+): A mentor mother community health worker home visiting program to improve maternal and infants' outcomes. <a href="Pervention Science">Prevention Science</a>, 12(4):372–388. doi: 10.1007/s11121-011-0238-1; PMID: 21850488; PMCID: 3907085.
- Le Roux, I. M., le Roux, K., Mbeutu, K., Comulada, W. S., Desmond, K. A., & Rotheram-Borus, M. J. (2011). A randomized controlled trial of home visits by neighborhood mentor mothers to improve children's nutrition in South Africa. <u>Vulnerable Children and Youth Studies</u>, 6(2), 91-102.
- O'Connor, M. J., Tomlinson, M., Le Roux, I. M., Stewart, J., Greco, E., & Rotheram-Borus, M. J. (2011). Predictors of alcohol use prior to pregnancy recognition among township women in Cape Town, South Africa. Social Science & Medicine, 72(1), 83-90.
- Hartley, M., Tomlinson, M., Greco, E., Comulada, W. S., Stewart, J., Le Roux, I., & Rotheram-Borus, M. J. (2011). Depressed mood in pregnancy: prevalence and correlates in two Cape Town peri-urban settlements. Reproductive Health, 8(1), 9.
- Le Roux, I. M., Le Roux, K., Comulada, W. S., Greco, E. M., Desmond, K. A., Mbewu, N., & Rotheram-Borus, M. J. (2010). Home visits by neighborhood Mentor Mothers provide timely recovery from childhood malnutrition in South Africa: results from a randomized controlled trial. Nutrition Journal, 9(1), 56.
- Austin, S. A., & Mbewu, N. (2009). Philani program: a case study of an integrative approach of empowerment and social and economic development. <u>Social Work in Public Health</u>, 24(1-2), 148-160.